

OConnor

CAMERA SUPPORT

2009



120EX FLUID HEAD

WEIGHT CAPACITY: 120 lbs (54.0 kg) 240 lbs (108 kg) IN **EX**tended Mode



OConnor

<http://www.ocon.com>

120EX

Capacity	@ 8 in. ± 90°	120 lbs (54 kg)
	@ 8 in. ± 80°	147 lbs (67 kg)
	@ 8 in. ± 70°	188 lbs (85 kg)
	@ 8 in. ± 60°	240 lbs (109 kg)
Bases	Mitchell	
Weight	34.1 lbs (15.5 kg)	
Counterbalance	Sinusoidal	
Pan & Tilt Drag	Stepless	

ULTIMATE 2575D FLUID HEAD

NEW!

WEIGHT CAPACITY: 90 lbs (40.8 kg)



2575D

Capacity @ 8 in.	87 lbs (39.5 kg)
Bases	Mitchell, 150 mm, Sachtler/Vinten
Tilt	+90° / -90°
Weight	22.9 lbs (10.4 kg)
Counterbalance	Sinusoidal
Pan & Tilt Drag	Stepless

oconnor

<http://www.ocon.com>

ULTIMATE 2060HD FLUID HEAD

WEIGHT CAPACITY: 65 lbs (29.5 kg)



oconnor

<http://www.ocon.com>

2060HD

Capacity @ 6 in.	65 lbs (29.5 kg)
Bases	Mitchell, 150 mm, Sachtler/Vinten
Tilt	+90° / -90°
Weight	16 lbs (7.3 kg)
Counterbalance	Sinusoidal
Pan & Tilt Drag	Stepless

ULTIMATE 1030HD FLUID HEAD

WEIGHT CAPACITY: 30 lbs (13.6 kg)

ULTIMATE 1030HDS FLUID HEAD

WEIGHT CAPACITY: 40 lbs (18.1 kg)



oconnor

<http://www.ocon.com>

	1030HD	1030HDS
Capacity @ 6 in.	30 lbs (13.6 kg)	41 lbs (18.6 kg)
Bases	100 mm, Flat, Mitchell, 150 mm, Sachtler/Vinten	
Tilt	+90° / -90°	+60° / -60°
Weight	8.2 lbs (3.7 kg)	8.2 lbs (3.7 kg)
Counterbalance		Sinusoidal
Pan & Tilt Drag		Stepless

ACCESSORIES

TRIPODS



**35L CARBON FIBER
QUICK DEPLOYMENT TRIPOD**

Capacity = 60 lbs (27.2 kg)
Max Height = 62 in. (157.5 cm)
Min Height = 26 in. (66 cm)



**25L CARBON FIBER
TWO STAGE TRIPOD**

Capacity = 60 lbs (27.2 kg)
Max Height = 66 in. (167.6 cm)
Min Height = 14.75 in. (37.5 cm)



CINE HD ALUMINUM

Capacity = 309 lbs (140 kg)
Max Height = 69.2 in. (175.8 cm)
Min Height = 33.6 in (85.3 cm)



CINE HD BABY

Capacity = 309 lbs (140 kg)
Max Height = 34.6 in. (87.9 cm)
Min Height = 4 in (10.2 cm)

ALUMINUM SPREADERS



25L



35L



Cine HD

HI HATS



100 mm



150 mm



Mitchell

BASES



100 mm



Mitchell



150 mm



Sachtler/Vinten

HARD & SOFT CASES



EYEPIECE LEVELER





FRONT BOX MOUNT



ASSISTANT'S FRONT BOX



COUNTERBALANCE CHARTS



PRODUCT SPECIFICATIONS

FLUID HEADS

MODEL	1030HD	1030HDS	2060HD	2575D
Capacity				
@ 4 in.	39 lbs (17.7 kg)	53 lbs (24.0 kg)	83 lbs (37.7 kg)	133 lbs (60.5 kg)
@ 6 in.	30 lbs (13.6 kg)	41 lbs (18.6 kg)	65 lbs (29.5 kg)	105 lbs (47.7 kg)
@ 8 in.	24 lbs (10.9 kg)	33 lbs (15.0 kg)	53 lbs (24.1 kg)	87 lbs (39.5 kg)
Platform	mini & lg. euro	mini & lg. euro	see below	see below
Handle(s)	0°, 30° & 34°	0°, 30° & 34°	0° & 30°	0° & 30°
Bases	100 mm, Mitchell, 150 mm		Mitchell, 150 mm	Mitchell, 150 mm
Tilt	+90° / -90°	+60° / -60°	+90° / -90°	+90° / -90°
Height	6.6 in. (16.8 cm)	6.6 in. (16.8 cm)	7.6 in. (19.3 cm)	8.4 in. (21.3 cm)
Width	7.6 in. (19.3 cm)	7.6 in. (19.3 cm)	11.3 in. (28.7 cm)	12.4 in. (31.5 cm)
Depth	4.6 in. (11.7 cm)	4.6 in. (11.7 cm)	7.5 in. (19.1 cm)	8.6 in. (21.8 cm)
Weight	8.2 lbs (3.7 kg)	8.2 lbs (3.7 kg)	16 lbs (7.3 kg)	22.9 lbs (10.4 kg)

Platforms for 2060HD, 2575D & 120EX: OConnor Plate, OConnor Geared Plate, 120 mm Euro Plate, Panavision Dovetail Plate, Arri Dovetail Plate, Arri 24" (60.96 cm) Plate

	120EX
Capacity	
@ 8 in. minimum	30 lbs (14 kg)
@ 8 in. ± 90°	120 lbs (54 kg)
@ 8 in. ± 80°	147 lbs (67 kg)
@ 8 in. ± 70°	188 lbs (85 kg)
@ 8 in. ± 60°	240 lbs (109 kg)
Platform	see below, left
Handle(s)	0° & 30°
Bases	Mitchell
Tilt	+90° / -90°
Height	9.8 in. (24.8 cm)
Width	13.5 in. (34.3 cm)
Depth	10.5 in. (26.6 cm)
Weight	34.1 lbs (15.5 kg)

TRIPODS

Model	25L	35L	Cine HD	Cine HD Baby
Material	Carbon Fiber	Carbon Fiber	Aluminum	Aluminum
Capacity	60 lbs (27.2 kg)	60 lbs (27.2 kg)	309 lbs (140 kg)	309 lbs (140 kg)
Weight (w/spreader)	7.3 lbs (3.3 kg)	8.1 lbs (3.7 kg)	29.3 lbs (13.3 kg)	18.5 lbs (8.4 kg)
Maximum Height	66 in. (167.6 cm)	62 in. (157.5 cm)	69.2 in. (175.8 cm)	34.6 in. (87.9 cm)
Minimum Height	14.75 in. (37.5 cm)	26 in. (66 cm)	33.6 in (85.3 cm)	4 in (10.2 cm)
Top Casting	100 mm	100 mm	Mitchell or 150 mm	Mitchell or 150 mm
Collapsed Length	28 in. (71.7 cm)	36.5 in. (92.7 cm)	40.4 in. (103 cm)	23.6 in. (60 cm)
Collapsed Width	7 in. (17.8 cm)	7 in. (17.8 cm)	11.1 in. (28.2 cm)	11.1 in. (28.2 cm)
Includes	Spreader / Strap	Spreader / Strap	(spreader sold separately)	(spreader sold separately)

CASES



Molded Case for 1030 Systems with 35 Series Tripods 9" x 42"- 47" (23 x 107-119 cm)
 Molded Case for 1030 Systems with 25L Tripods 9" x 36"- 41" (23 x 91-104 cm)
 Molded Case for Model Cine HD Tall Tripods 11" x 39"- 44" (28 x 99-112 cm)
 Molded Case for Model Cine HD Baby Tripods 11" x 23"- 28" (28 x 58-71 cm)



Soft Carrying Case for 1030 Systems with 35 Series Tripods 9" x 9" x 9" x 46" (23 x 23 x 23 x 117 cm)
 Soft Carrying Case for 1030 Systems with 25L Tripods 9" x 9" x 9" x 38" (23 x 23 x 23 x 97 cm)



Foam Fitted ATA Case for 2060 Head and Accessories 17" x 19" x 14.5" (43 x 48 x 37 cm)
 Foam Fitted ATA Case for 2575 Head and Accessories 17" x 19" x 14.5" (43 x 48 x 37 cm)
 Foam Fitted ATA Case for 120EX Head and Accessories 19" x 23" x 23" (48 x 58 x 58 cm)
 (120EX Case only: with wheels and handle)

oconnor

CAMERA SUPPORT 2009

<http://www.ocon.com>



Prices and specifications are subject to change without notice.